

AMENDMENTS TO THE CLAIMS

Claims 1-15 (Cancelled)

16. (Previously Presented) A refuse/oil removing device for use in a grease trap into which drainage discharged from restaurant is introduced through a drain passage, and for detachably attaching a recovery bag comprised by securing a bag portion and a base portion formed of a material having rigidity, comprising:

support means for supporting said bag portion at a position higher than the level of water accumulated in said grease trap,

engaging means engaging with said base portion of said recovery bag, said engaging means provided with said support means or a body of said grease trap,

a movable member displaceable relative to said support means or said body of said grease trap, said movable member displacing said engaging means,

whereby said recovery bag is spaced away from said drain passage at one movement end of said movable member, while at an opposite movement end of said movable member a front end of said drain passage is positioned inside said bag portions of said recovery bag.

17. (Previously Presented) A refuse/oil removing device according to claim 16, wherein a drainage introducing hole for introducing the drainage from said drain passage to the interior of said bag portion is formed in said base portion, and an outlet to said grease trap side in said drain passage is formed by a pipe, said pipe being inserted into said drainage introducing hole at an opposite movement end of said movable member.

18. (Previously Presented) A refuse/oil removing device according to claim 17, wherein said bag portion is formed as plural layers.

19. (Previously Presented) A refuse/oil removing device according to claim 16, wherein a grasping hole is formed in said base portion.

20. (Previously Presented) A refuse/oil removing device according to claim 19, wherein said bag portion is formed as plural layers.

21. (Previously Presented) A refuse/oil removing device according to claim 16, wherein said bag portion is formed by a net.

22. (Previously Presented) A refuse/oil removing device according to claim 21, wherein the material of said net is synthetic resin or synthetic fiber.

23. (Previously Presented) A refuse/oil removing device according to claim 22, wherein said bag portion is formed as plural layers.

24. (Previously Presented) A refuse/oil removing device according to claim 16, wherein the size of each of said water passing holes is 1 to 5 mm.

25. (Previously Presented) A refuse/oil removing device according to claim 24, wherein said bag portion is formed as plural layers.

26. (Previously Presented) A refuse/oil removing device according to claim 16, wherein said bag portion is formed as plural layers.

27. (Previously Presented) A refuse/oil removing device according to claim 26, wherein said plural layers are three layers.

28. (Currently Amended) A refuse/oil recovery system comprising:
a grease trap including a engaging unit disposed thereon or a device provided with said
grease trap; and
a bag for the recovery of refuse and oil contained in drainage introduced to a said grease
trap, said refuse/oil recovery bag comprising[:]
a base portion having rigidity so as to form a plate, and formed with including a drainage
introducing hole, said base portion being engaged with said engaging means provided with said
unit disposed on said grease trap or a said device provided with the grease trap, and

a bag portion having a ~~multitude~~ plurality of water passing holes and a plurality of layers, said bag portion fixed to said base portion ~~in a state in which~~ such that a circumference of said hole of said base portion is covered along its circumference with an opening of said bag portion, and

wherein said plurality of layers includes a first outer layer, a second outer layer and an inner layer, and a first space is disposed between said first outer layer and said inner layer and a second space is disposed between said second outer layer and said inner layer,

wherein a grasping hole is disposed in said base portion, and

wherein said refuse/oil recovery bag it is configured to be replaced itself after it is used ~~use~~ thereof.

29. (Cancelled)

30. (Cancelled)

31. (Currently Amended) A refuse/oil recovery system bag according to claim 28, wherein said bag portion is formed by a net.

32. (Currently Amended) A refuse/oil recovery system bag according to claim 31, wherein the material of said net is synthetic resin or synthetic fiber.

33. (Currently Amended) A refuse/oil recovery system bag according to claim 28, wherein the size of each of said water passing holes is 1 to 5 mm.

34. (Cancelled)

35. (Cancelled)

36. (Currently Amended) A refuse/oil recovery bag according to claim ~~36~~ 28, wherein said ~~plurality plural~~ of layers are three layers consists of said first outer layer, said second outer layer and said inner layer.

37. (New) A refuse/oil recovery bag according to claim 28, wherein said plurality of water passing holes and said plurality of layers are sized and configured to hold oil and/or trash therein.